

## All Weather Compound

# easy-trim WaterProofing

### Section 1: Identification of the mixture and of the company undertaking

#### 1.1 Product Identifier

Product Name All Weather Compound

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC9a: Coatings and paints, thinners, paint removers

#### 1.3 Details of the suppliers of the safety data sheet

##### Supplier

EASY-TRIM ROOFING & CONSTRUCTION PRODUCTS LIMITED  
UNIT 12B METCALF DRIVE  
ALTHAM INDUSTRIAL ESTATE  
ALTHAM  
BB5 5TU

+44 (0) 845 034 6008 (Mon-Fri 08.30 - 17.30hrs. opening hours)  
+44 (0) 845 034 6010 (Fax)

#### 1.4 Emergency contact details

Outside of office hours (as listed above),  
contact: +44 (0) 845 034 6008 Email: [technical@easy-trim.co.uk](mailto:technical@easy-trim.co.uk)

### Section 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification under CHIP:

-: R10; N: R51/53; -: R66; -: R67

Classification under CLP:

Asp. Tox. 1: H304; Aquatic Chronic 2: H411; Flam. Liq. 3: H226;  
STOT SE 3: H336

Most important adverse effects:

Flammable. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

Tel: +44 (0) 845 034 6008

e: [enquiries@easy-trim.co.uk](mailto:enquiries@easy-trim.co.uk)

f: +44 (0) 845 034 6010

Unit 12B Metcalf Drive  
Altham Industrial Estate | Altham  
Lancashire | BB5 5TU | England

w: [www.easy-trim.co.uk](http://www.easy-trim.co.uk)

find us:



## All Weather Compound

### 2.2 Label elements

#### Label elements under CLP:

##### Hazard statements:

H226: Flammable liquid and vapour  
H304: May be fatal if swallowed and enters airways  
H336: May cause drowsiness or dizziness  
H411: Toxic to aquatic life with long lasting effects

##### Signal word:

Danger

##### Hazard pictograms:

GHS02: Flame  
GHS07: Exclamation mark  
GHS08: Health hazard  
GHS09: Environmental



##### Precautionary statements:

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
P280: Wear protective gloves/protective clothing/eye protection/face protection  
P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor  
P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing  
Rinse skin with water/shower  
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P261: Avoid breathing vapours  
P331: Do NOT induce vomiting  
P370+378: In case of fire: Use powder or foam for extinction

#### Label elements under CHIP:

##### Hazard symbols:

Dangerous for the environment



##### Risk phrases:

R10: Flammable  
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment  
R66: Repeated exposure may cause skin dryness or cracking  
R67: Vapours may cause drowsiness and dizziness

Tel: +44 (0) 845 034 6008

e: enquiries@easy-trim.co.uk

f: +44 (0) 845 034 6010

Unit 12B Metcalf Drive  
Altham Industrial Estate | Altham  
Lancashire | BB5 5TU | England

w: www.easy-trim.co.uk

find us:



## All Weather Compound

### Section 2: Hazards identification - Cont.

**Safety phrases:**

S2: Keep out of the reach of children  
S29: Do not empty into drains  
S61: Avoid release to the environment. Refer to special instructions / safety data sheets

**2.3 Other hazards**

**PBT:** This product is not identified as a PBT/vPvB substance

### Section 3: Composition / information on ingredients

*3.1. Mixtures*

**Hazardous ingredients:**

**WHITE SPIRIT**

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	-	-: R10; N: R51/53; -: R66; Xn: R65; -: R67	Flam. Liq. 3: H226; STOT SE 3: H335; STOT SE 3: H336; Asp. Tox. 1: H304; Aquatic Chronic 2: H411; -: EUH066	30-50%

**ADHESION AGENT**

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	-	Xi: R38; Xi: R41; N: R50/53		<1%

### Section 4: First aid measures

**4.1 Description of first aid measures**

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor

**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor

**4.2 Most important symptoms and effects, both acute and delayed**

**Skin contact:** There may be irritation and redness at the site of contact

**Eye contact:** There may be irritation and redness. The eyes may water profusely

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.  
There may be vomiting

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure

Tel: +44 (0) 845 034 6008

e: enquiries@easy-trim.co.uk

f: +44 (0) 845 034 6010

Unit 12B Metcalf Drive  
Altham Industrial Estate | Altham  
Lancashire | BB5 5TU | England

w: www.easy-trim.co.uk

find us:



## All Weather Compound

### Section 4: First aid measures - Cont.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable

### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.  
Use water spray to cool containers

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes

### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid

#### 6.2. Environmental precautions

Do not discharge into drains or rivers. Contain the spillage using bunding

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS

### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids

Tel: +44 (0) 845 034 6008

e: enquiries@easy-trim.co.uk

f: +44 (0) 845 034 6010

Unit 12B Metcalf Drive  
Altham Industrial Estate | Altham  
Lancashire | BB5 5TU | England

w: www.easy-trim.co.uk

find us:



## All Weather Compound

### Section 7: Handling and storage - Cont.

#### 7.3. Specific end use(s)

Specific end use(s) No data available

### Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

Workplace exposure limits: No data available

DNEL / PNEC Values No data available

#### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency

Hand protection: Impermeable gloves

Eye protection: Safety glasses. Ensure eye bath is to hand

Skin protection: Impermeable protective clothing

### Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Black

Odour: Aromatic

Viscosity: Viscous

Boiling point/range°C: >35 Flash point °C: 38

#### 9.2. Other information

Other information: No data available

### Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions

Tel: +44 (0) 845 034 6008

e: enquiries@easy-trim.co.uk

f: +44 (0) 845 034 6010

Unit 12B Metcalf Drive  
Altham Industrial Estate | Altham  
Lancashire | BB5 5TU | England

w: www.easy-trim.co.uk

find us:



## All Weather Compound

### Section 10: Stability and reactivity - Cont.

#### 10.3. Possibility of hazardous reactions

##### Hazardous reactions:

Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below

#### 10.4. Conditions to avoid

##### Conditions to avoid:

Heat

#### 10.5. Incompatible materials

##### Materials to avoid:

Strong oxidising agents. Strong acids

#### 10.6. Hazardous decomposition products

##### Haz. decomp. products:

In combustion emits toxic fumes

### Section 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Toxicity values:

No data available

##### Symptoms / routes of exposure

##### Skin contact:

There may be irritation and redness at the site of contact

##### Eye contact:

There may be irritation and redness. The eyes may water profusely

##### Ingestion:

There may be soreness and redness of the mouth and throat. Nausea and pain may occur. There may be vomiting.

##### Inhalation:

There may be irritation of the throat with a feeling of tightness in the chest

##### Delayed / immediate effects:

Immediate effects can be expected after short-term exposure

### Section 12: Ecological information

#### 12.1. Toxicity

##### Ecotoxicity values:

No data available

#### 12.2. Persistence and degradability

##### Persistence and degradability:

No data available

#### 12.3. Bioaccumulative potential

##### Bioaccumulative potential:

No data available

#### 12.4. Mobility in soil

##### Mobility:

No data available

#### 12.5. Results of PBT and vPvB assessment

##### PBT identification:

This product is not identified as a PBT/vPvB substance

#### 12.6. Other adverse effects

##### Other adverse effects:

Toxic to aquatic organisms. Toxic to soil organisms

Tel: +44 (0) 845 034 6008

e: enquiries@easy-trim.co.uk

f: +44 (0) 845 034 6010

Unit 12B Metcalf Drive  
Altham Industrial Estate | Altham  
Lancashire | BB5 5TU | England

w: www.easy-trim.co.uk

find us:



## All Weather Compound

### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal operations:

Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### Section 14: Transport information

#### 14.1. UN number

##### UN number:

UN1263

#### 14.2. UN proper shipping name

##### Shipping name:

PAINT RELATED MATERIAL  
(OXIDIZED ASPHALT 85/25; WHITE SPIRITS mixture)

#### 14.3. Transport hazard class(es)

##### Transport class:

3

#### 14.4. Packing group

##### Packing group:

III

#### 14.5. Environmental hazards

##### Environmentally hazardous:

Yes

##### Marine pollutant:

No

#### 14.6. Special precautions for user

##### Special precautions:

No special precautions

##### Tunnel code:

D/E

##### Transport category:

3

### Section 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

### Section 16: Other information

#### Other information

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010

\* indicates text in the SDS which has changed since the last revision

#### Phrases used in s.2 and s.3:

EUH066: Repeated exposure may cause skin dryness or cracking

H226: Flammable liquid and vapour

H304: May be fatal if swallowed and enters airways

H335: May cause respiratory irritation

H336: May cause drowsiness or dizziness

Tel: +44 (0) 845 034 6008

e: enquiries@easy-trim.co.uk

f: +44 (0) 845 034 6010

Unit 12B Metcalf Drive  
Altham Industrial Estate | Altham  
Lancashire | BB5 5TU | England

w: www.easy-trim.co.uk

find us:



## All Weather Compound

### Section 16: Other information - Cont.

#### Phrases used in s.2 and s.3:

H411: Toxic to aquatic life with long lasting effects.  
R10: Flammable.  
R38: Irritating to skin.  
R41: Risk of serious damage to eyes.  
R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R65: Harmful: may cause lung damage if swallowed.  
R66: Repeated exposure may cause skin dryness or cracking.  
R67: Vapours may cause drowsiness and dizziness.

#### Legend to abbreviations:

PNEC = predicted no effect level  
DNEL = derived no effect level  
LD50 = median lethal dose  
LC50 = median lethal concentration  
EC50 = median effective concentration  
IC50 = median inhibitory concentration dw = dry weight bw = body weight cc = closed cup oc = open cup MUS = mouse  
GPG = guinea pig  
RBT = rabbit  
HAM = hamster  
HMN = human  
MAM = mammal  
PGN = pigeon  
IVN = intravenous  
SCU = subcutaneous  
SKN = skin  
DRM = dermal  
OCC = ocular/corneal  
PCP = physico-chemical properties

#### Disclaimer

The information relates only to this specified material and may not be valid for such materials used in combinations with other materials and processes. This information is, to the best of the Company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy themselves as to the suitability of the information on the material for their own particular use.

Tel: +44 (0) 845 034 6008

e: enquiries@easy-trim.co.uk

f: +44 (0) 845 034 6010

Unit 12B Metcalf Drive  
Altham Industrial Estate | Altham  
Lancashire | BB5 5TU | England

w: www.easy-trim.co.uk

find us:

